

a.) Amendment to the Claims:

1. (Currently Amended) A method for regenerating nerve regenerating comprising administering to a patient in need thereof, a therapeutically effective amount of a drug which comprises a substance that inhibits the activity of glycogen synthase kinase-3 (hereinafter, abbreviated as GSK-3), as an active ingredient.

2. (Currently Amended) The ~~medical drug~~ process according to claim 1 wherein the nerve regenerating drug is a therapeutic drug for a neurological disease.


3. (Currently Amended) The ~~medical drug~~ process according to claim 2 wherein the neurological disease is selected from the group consisting of Parkinson's disease, Alzheimer's disease, Down's disease, cerebrovascular disorder, cerebral stroke, spinal cord injury, Huntington's chorea, multiple sclerosis, amyotrophic lateral sclerosis, epilepsy, anxiety disorder, schizophrenia, depression and manic depressive psychosis.

4. (Currently Amended) The ~~medical drug~~ process according to any one of claims 1 to 3 wherein the substance that inhibits the activity of GSK-3 is lithium or a pharmacologically acceptable salt thereof.

5. (Currently Amended) ~~The medical drug according to any one of claims 1 to 3 wherein the substance~~ An agent that inhibits the activity of GSK-3 is comprising: a bisindolylmaleimide derivative, a 3-aryl-4-indolylmaleimide derivative, an


indolocarbazole derivative, an indolo[3,2-d][1]benzazepin-6(5H)-one derivative or an indirubin derivative, or a pharmacologically acceptable salt thereof.

6. (Currently Amended) ~~The medical drug according to any one of claims 1 to 3 wherein the substance~~ An agent that inhibits the activity of GSK-3 is comprising: a compound represented by the formula (I):




[wherein n and m may be the same or different, and represent an integer of 1 to 3; R¹, R³ and R⁴ may be the same or different, and represent hydrogen, substituted or unsubstituted lower alkyl, substituted or unsubstituted lower alkenyl, -COR⁶ (wherein R⁶ represents hydrogen, substituted or unsubstituted lower alkyl, substituted or unsubstituted lower alkenyl, substituted or unsubstituted aryl or substituted or unsubstituted cycloalkyl), -COOR⁷ (wherein R⁷ represents hydrogen, substituted or unsubstituted lower alkyl, substituted or unsubstituted aryl or substituted or unsubstituted cycloalkyl) or -OR⁸ (wherein R⁸ represents hydrogen, substituted or unsubstituted lower alkyl, substituted or unsubstituted aryl or substituted or unsubstituted cycloalkyl); R² and R⁵ may be the same or different, and represent hydrogen, substituted or unsubstituted lower alkyl, a substituted or unsubstituted lower alkenyl, substituted or unsubstituted lower alkoxy, substituted or unsubstituted lower alkoxy carbonyl, substituted or unsubstituted aryl, carboxy, halogen,


hydroxy, nitro, amino, or mono- or di-lower alkylamino; when n and m are 2 or 3, each of R² and R⁵ may be the same or different], a compound represented by the formula (II):



(wherein na, ma, R^{1A}, R^{2A}, R^{3A} and R^{5A} are as defined for the aforementioned n, m, R¹, R², R³ and R⁵, respectively) or a compound represented by the formula (III):




[wherein nb, mb, R^{1B}, R^{2B} and R^{5B} are as defined for the aforementioned n, m, R¹, R² and R⁵, respectively; R^{3B} and R^{4B} may be the same or different, and represent hydrogen, substituted or unsubstituted lower alkyl, substituted or unsubstituted lower alkenyl, -COR⁶ (wherein R⁶ is as defined above), -COOR⁷ (wherein R⁷ is as defined above) or -OR⁸ (wherein R⁸ is as defined above), or R^{3B} and R^{4B} together form




(wherein k represents 1 or 2; X represents CH₂, NH, an oxygen atom or a sulfur atom; R⁹ represents hydroxy, carboxy, carbamoyl or lower alkoxy carbonyl)], or a pharmacologically acceptable salt thereof.

7. (Currently Amended) The ~~medical drug agent~~ agent according to ~~any one of claims 1 to 3~~ claim 6 wherein the substance that inhibits the activity of GSK-3 is a compound represented by the formula (Ia):




(wherein R^{2a} represents hydrogen, lower alkoxy, lower alkoxy carbonyl, aryl or nitro; R^{3a} and R^{4a} may be the same or different, and represent substituted or unsubstituted lower alkyl), or a pharmacologically acceptable salt thereof.

8. (Currently Amended) The ~~medical drug agent~~ agent according to ~~any one of claims 1 to 3~~ claim 6 wherein the substance that inhibits the activity of GSK-3 is a compound represented by the formula (IIa):



(wherein ~~ma is as defined above~~; R^{3Aa} represents substituted or unsubstituted lower alkyl; R^{5Aa} represents halogen), or a pharmacologically acceptable salt thereof.


9. (Currently Amended) The ~~medical drug agent~~ agent according to ~~any one of claims 1 to 3~~ claim 6 wherein the substance that inhibits the activity of GSK-3 is a compound represented by the formula (IIIa):



(~~wherein R⁹ is as defined above~~) or a pharmacologically acceptable salt thereof.


10. (Currently Amended) The ~~medical drug agent~~ agent according to ~~any one of claims 1 to 3~~ claim 6 wherein the substance that inhibits the activity of GSK-3 is a compound selected from the group consisting of 3,4-bis(1-methylindole-3-yl)-1H-pyrrole-2,5-dione, 3-(1-methylindole-3-yl)-4-(1-propylindole-3-yl)-1H-pyrrole-2,5-dione, 3-[1-(3-cyanopropyl)indole-3-yl]-4-(1-methylindole-3-yl)-1H-pyrrole-2,5-dione, 3-[1-(3-aminopropyl)indole-3-yl]-4-(1-methylindole-3-yl)-1H-pyrrole-2,5-dione, 3-[1-(3-carboxypropyl)indole-3-yl]-4-(1-methylindole-3-yl)-1H-pyrrole-2,5-dione, 3-[1-(3-carbamoylpropyl)indole-3-yl]-4-(1-methylindole-3-yl)-1H-pyrrole-2,5-dione, 3-[1-(3-aminopropyl)indole-3-yl]-4-(1-methyl-5-propyloxyindole-3-yl)-1H-pyrrole-2,5-dione, 3-[1-(3-hydroxypropyl)indole-3-yl]-4-(1-methyl-5-phenylindole-3-yl)-1H-pyrrole-2,5-dione, 3-[1-(3-aminopropyl)indole-3-yl]-4-(1-methyl-5-phenylindole-3-yl)-1H-pyrrole-2,5-dione, 3-[1-(3-hydroxypropyl)indole-3-yl]-4-(1-methyl-5-methoxycarbonylindole-3-yl)-1H-pyrrole-2,5-dione, 3-[1-(3-hydroxypropyl)indole-3-yl]-4-(1-methyl-5-nitroindole-3-yl)-1H-

pyrrole-2,5-dione, 3-(1-methylindole-3-yl)-4-[1-(3-hydroxypropyl)-5-nitroindole-3-yl]-1H-pyrrole-2,5-dione, 3-(2-chlorophenyl)-4-(1-methylindole-3-yl)-1H-pyrrole-2,5-dione, 3-(2,4-dichlorophenyl)-4-(1-methylindole-3-yl)-1H-pyrrole-2,5-dione, 3-(2-chlorophenyl)-4-[1-(3-hydroxypropyl)indole-3-yl]-1H-pyrrole-2,5-dione, 4-[1-(3-aminopropyl)indole-3-yl]-3-(2-chlorophenyl)-1H-pyrrole-2,5-dione and



, or a pharmacologically acceptable salt thereof.

11. (Currently Amended) An Agent ~~The medical drug according to any one of claims 1 to 3 wherein the substance that inhibits GSK-3 is comprising:~~ a compound represented by the formula (IV):



[wherein A is oxygen or sulfur coupled to the right by a single or double bond; R¹⁰ is selected from the group consisting of hydrogen, aryl, lower aliphatic

substituents, particularly alkyl and lower alkyl ester; R¹¹-R¹⁴ are independently selected from the group consisting of alkoxy, amino, acyl, aliphatic substituents, particularly alkyl, alkenyl and alkynyl substituents, aliphatic alcohols, particularly alkyl alcohols, aliphatic nitriles, particularly alkyl nitriles, cyano, nitro, carboxyl, halogen, hydrogen, hydroxyl, imino and α,β -unsaturated ketones; R¹⁵-R¹⁸ are independently selected from the group consisting of aliphatic substituents, particularly alkyl, alkenyl and alkynyl substituents, particularly lower aliphatic substituents, aliphatic alcohols, particularly alkyl alcohols, alkoxy, acyl, cyano, nitro, epoxy, haloalkyl groups, halogen, hydrogen and hydroxyl; R¹⁹ is selected from the group consisting of aliphatic groups, particularly lower alkyl groups, aliphatic alcohols, particularly alkyl alcohols, carboxylic acids and hydrogen], or a pharmacologically acceptable salt thereof.

12. (Currently Amended) The ~~medical drug agent~~ according to ~~any one of claims 1 to 3~~ claim 11 wherein the substance that inhibits GSK-3 is a compound selected from the group consisting of 7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 2-bromo-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-chloro-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 11-chloro-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 10-bromo-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 8-bromo-6,11-dihydro-thieno[3',2':2,3]azepino[4,5-b]indol-5(4H)-one, 9-bromo-7,12-dihydro-4-methoxy-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-4-hydroxy-indolo[3,2-d][1]benzazepin-6(5H)-one, 7,12-dihydro-4-methoxy-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-2,3-dimethoxy-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-

bromo-7,12-dihydro-2,3-dihydroxy-indolo[3,2-d][1]benzazepin-6(5H)-one, 7,12-dihydro-
 2,3-dimethoxy-indolo[3,2-d][1]benzazepin-6(5H)-one, 7,12-dihydro-9-trifluoromethyl-
 indolo[3,2-d][1]benzazepin-6(5H)-one, 7,12-dihydro-2,3-dimethoxy-9-trifluoromethyl-
 indolo[3,2-d][1]benzazepin-6(5H)-one, 2-bromo-7,12-dihydro-9-trifluoromethyl-
 indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-indolo[3,2d][1]benzazepin-
 6(5H)-thione, 9-bromo-5,12-bis-(t-butyloxycarbonyl)-7,12-dihydro-indolo[3,2-d][1]-
 benzazepin-6(5H)-one, 9-bromo-12-(t-butyloxycarbonyl)-7,12-dihydro-indolo[3,2-
 d][1]benzazepin-6(5H)-one, 9-bromo-5,7-bis-(t-butyloxycarbonyl)-7,12-dihydro-indolo-
 [3,2-d][1]benzazepin-6(5H)-one, 9-bromo-5,7,12-tri-(t-butyloxycarbonyl)-7,12-dihydro-
 indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-5-
 methyloxycarbonylmethyl-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-
 12-methyloxycarbonylmethyl-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-
 dihydro-12-(2-hydroxyethyl)-indolo[3,2-d][1]benzazepin-6(5H)-one, 2,9-dibromo-7,12-
 dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 8,10-dichloro-7,12-dihydro-
 indolo[3,2d][1]benzazepin-6(5H)-one, 9-cyano-7,12-dihydro-indolo[3,2-d][1]benzazepin-
 6(5H)-one, 9-bromo-7,12-dihydro-5-methyl-indolo[3,2-d][1]benzazepin-6(5H)-one, 5-
 benzyl-9-bromo-7,12-dihydro-5-methyl-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-
 7,12-dihydro-12-methyl-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-12-ethyl-7,12-
 dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-12-(2-propenyl)-
 indolo[3,2-d][1]benzazepin-6(5H)-one, 7,12-dihydro-9-methyl-indolo[3,2-d][1]-
 benzazepin-6(5H)-one, 7,12-dihydro-9-methoxy-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-
 fluoro-7,12-dihydro-12-(2-propenyl)-indolo[3,2-d][1]benzazepin-6(5H)-one, 11-bromo-
 7,12-dihydro-indolo[3,2d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-2-

(methyliminoamine)-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-2-
(carboxylic acid)-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-10-
hydroxy-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-11-
hydroxymethyl-indolo[3,2-d][1]benzazepin-6(5H)-one, 7,12-dihydro-4-hydroxy-
indolo[3,2-d][1]benzazepin-6(5H)-one, 7,12-dihydro-2,3-dihydroxy-indolo[3,2-
d][1]benzazepin-6(5H)-one, 2,3-dimethoxy-9-nitro-7,12-dihydro-
indolo[3,2-d][1]benzazepin-6(5H)-one, 9-cyano-7,12-dihydro-indolo[3,2-d][1]benzazepin-
6(5H)-one, 2,3-dimethoxy-9-cyano-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-
nitro-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 3-(6-oxo-9-trifluoromethyl-
5,6,7,12-tetrahydro-indolo[3,2-d][1]benzazepin-2-yl)-propionitrile, 2-bromo-9-nitro-7,12-
dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 3-(6-oxo-9-trifluoromethyl-5,6,7,12-
tetrahydro-indolo[3,2-d][1]benzazepin-2-yl)acrylonitrile, 2-(3-hydroxy-1-propinyl)-9-
trifluoromethyl-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 2-iodo-9-bromo-
7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 2-(3-oxo-1-butenyl)-9-
trifluoromethyl-7,12-tetrahydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 8-chloro-6,11-
dihydro-thieno[3',2':2,3]azepino[4,5-b]indol-5(4H)-one, 2-iodo-9-trifluoromethyl-7,12-
dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 7,12-dihydro-pyrido[3',2':4,5]pyrrolo[3,2-
d][1]benzazepin-6(5H)-one, 11-methyl-7,12-dihydro-indolo[3,2-d][1]-benzazepin-6(5H)-
one, 2-[2-(1-hydroxycyclohexyl)ethinyl]-9-trifluoromethyl-7,12-dihydro-indolo[3,2-
d][1]benzazepin-6(5H)-one, 2-cyano-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one,
2-iodo-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 11-ethyl-7,12-dihydro-
indolo[3,2-d][1]benzazepin-6(5H)-one, 8-methyl-6,11-dihydro-
thieno[3',2':2,3]azepino[4,5-b]indol-5(4H)-one and 3-(6-oxo-9-trifluoromethyl-5,6,7,12-

tetrahydro-indolo[3,2-d][1]benzazepin-2-yl)acrylic acid, methyl ester, or a pharmacologically acceptable salt thereof.


13. (Currently Amended) The agent ~~medical drug~~ according to ~~any one of claims 1 to 3~~ claim 11 wherein the substance that inhibits GSK-3 is selected from the group consisting of 9-cyano-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-2,3-dimethoxy-indolo[3,2-d][1]benzazepin-6(5H)-one, 2-bromo-7,12-dihydro-9-trifluoromethyl-indolo[3,2-d][1]benzazepin-6(5H)-one, 7,12-dihydro-2,3-dimethoxy-9-trifluoromethyl-indolo[3,2-d][1]benzazepin-6(5H)-one, 2,9-dibromo-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 7,12-dihydro-9-trifluoromethyl-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-chloro-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 8-bromo-6,11-dihydro-thieno[3',2':2,3]azepino[4,5-b]indole-5(4H)-one, 7,12-dihydro-9-methoxy-indolo[3,2-d][1]benzazepin-6(5H)-one, 10-bromo-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 11-bromo-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 11-chloro-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-fluoro-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-methyl-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-thione, 8,10-dichloro-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-12-(2-hydroxyethyl)-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-2,3-dihydroxy-indolo[3,2-d][1]benzazepin-6(5H)-one, 2-bromo-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 7,12-dihydro-2,3-dimethoxy-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-12-methyl-indolo[3,2-d][1]benzazepin-

6(5H)-one, 9-bromo-7,12-dihydro-5-methyloxycarbonylmethyl-indolo[3,2-d][1]benzazepin-6(5H)-one and 7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one.

14. (Currently Amended) The ~~medical drug~~ agent according to ~~any one of claims 1 to 3~~ claim 11 which is selected from the group consisting of 9-cyano-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-bromo-7,12-dihydro-2,3-dimethoxy-indolo[3,2-d][1]benzazepin-6(5H)-one, 2-bromo-7,12-dihydro-9-trifluoromethyl-indolo[3,2-d][1]benzazepin-6(5H)-one, 7,12-dihydro-2,3-dimethoxy-9-trifluoromethyl-indolo[3,2-d][1]benzazepin-6(5H)-one, 2,9-dibromo-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 7,12-dihydro-9-trifluoromethyl-indolo[3,2-d][1]benzazepin-6(5H)-one, 9-chloro-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one, 8-bromo-6,11-dihydro-thieno[3',2':2,3]azepino[4,5-b]indol-5(4H)-one, 7,12-dihydro-9-methoxy-indolo[3,2-d][1]benzazepin-6(5H)-one.

15. (Currently Amended) The ~~medical drug~~ agent according to ~~any one of claims 1 to 3~~ claim 11 which is selected from the group consisting of 9-bromo-7,12-dihydro-indolo[3,2-d][1]benzazepin-6(5H)-one .

16. (Currently Amended) ~~The medical drug~~ An agent according to ~~any one of claims 1 to 3 wherein the substance~~ that inhibits GSK-3 is comprising: a compound represented by the formula (V):



[wherein R^{20} and R^{25} which may be the same or different represent hydrogen; halogen; a hydroxy group; a methylene hydroxy group; a straight chain or branched C_1 to C_{18} -alkyl or alkoxy or methylenealkoxy group; a cycloalkyl group having 3 to 7 carbon atoms, and including one or more heteroatoms as needed; a substituted or unsubstituted aryl, aralkyl or aryloxy group having one or more heteroatoms as needed; a mono-, di- or trialkylsilyl group each independently having 1 to 6 carbon atoms within the straight chain or branched alkyl group; a mono-, di- or triarylsilyl group each independently having a substituted or unsubstituted aryl group; a trifluoromethyl group; -COM; -COOM; or a $-CH_2COOM$ group (wherein M represents hydrogen, a straight chain or branched C_1 to C_{18} -alkyl group substituted with one or more hydroxy and/or amino groups if necessary, or an aryl group, which may be substituted with one or more halogen, alkyl groups or alkoxy groups, having one or more heteroatoms if necessary); an $-NR^{30}R^{31}$ group (wherein R^{30} and R^{31} which may be the same or different represent hydrogen, a C_1 to C_{18} straight chain or branched alkyl group additionally substituted with one or more hydroxy and/or amino groups if necessary, a substituted or unsubstituted aryl group including one or more heteroatoms if necessary); an acyl group; a $-CH_2-NR^{30}R^{31}$ methyleneamino group (wherein R^{30} and R^{31} have the meanings as defined above); a benzyl group having one or more heteroatoms in the benzene ring if necessary; a

methylenecycloalkyl group having 3 to 7 carbon atoms, and including one or more heteroatoms if necessary; a physiological amino acid group coupled to a nitrogen atom as an amide; an O-glycoside or N-glycoside glycoside of which being selected from monosaccharides or disaccharides; or a methylenesulfonate group; R^{21} , R^{22} , R^{23} , R^{24} , R^{26} , R^{27} , R^{28} and R^{29} which may be the same or different represent hydrogen; halogen; a hydroxy group; a nitroso group; a nitro group; an alkoxy group; a straight chain or branched C_1 to C_{18} alkyl group substituted with one or more hydroxy and/or amino groups if necessary; a substituted or unsubstituted aryl group having one or more heteroatoms if necessary; a substituted or unsubstituted aralkyl group having one or more heteroatoms if necessary; a substituted or unsubstituted aryloxy group having one or more heteroatoms if necessary; a substituted or unsubstituted methylenearyloxy group having one or more heteroatoms if necessary; a cycloalkyl group having 3 to 7 carbon atoms, and including one or more heteroatoms if necessary; a methylenecycloalkyl group having 3 to 7 carbon atoms, and including one or more heteroatoms if necessary; a trifluoromethyl group; -COM; -COOM; or a CH_2COOM group (wherein M represents hydrogen, a straight chain or branched C_1 to C_{18} -alkyl group additionally substituted with one or more hydroxy and/or amino groups if necessary, or an aryl group, which may be substituted with one or more halogen atoms, alkyl groups or alkoxy groups, having one or more heteroatoms if necessary); an $-NR^{30}R^{31}$ group (wherein R^{30} and R^{31} which may be the same or different represent hydrogen, a straight chain or branched C_1 to C_{18} -alkyl group additionally substituted with one or more hydroxy and/or amino groups if necessary, a substituted or unsubstituted aryl group including one or more heteroatoms if necessary, an acyl group; or form a part of cycloalkyl having 3 to 7 carbon atoms with the nitrogen atom including one

or more heteroatoms if necessary); a $-\text{CONR}^{30}\text{R}^{31}$ group (wherein R^{30} and R^{31} have the meanings as defined above); a hydroxylamino group; a phosphate group; a phosphonate group; a sulfate group; a sulfonate group; a sulfonamide group; an $-\text{SO}_2\text{NR}^{30}\text{R}^{31}$ group (wherein R^{30} and R^{31} have the meanings as defined above); an $-\text{N}=\text{N}-\text{R}^{32}$ azo group (wherein R^{32} represents an aromatic group substituted with one or more carboxyl, phosphoryl or sulfonate groups if necessary, or an O-glycoside or N-glycoside group glycoside of which being selected from monosaccharides or disaccharides); or R^{20} and R^{24} , and R^{25} and R^{29} together form a ring having one to four CH_2 groups each independently substituted if necessary, respectively; Y and Z which may be the same or different represent an oxygen; sulfur; selenium; tellurium atom; an NR^{33} group (wherein R^{33} represents hydrogen, a straight chain or branched C_1 to C_{18} alkyl group substituted with one or more carboxyl, phosphoryl or sulfonate groups if necessary, a substituted or unsubstituted aryl group including one or more heteroatoms if necessary, an aralkyl group or a sulfonate group); or $-\text{NOR}^{33}$ (wherein R^{33} group have the meanings as defined above)], or a pharmacologically acceptable salt thereof.

17. (Currently Amended) The ~~medical drug agent~~ according to ~~any one of claims 1 to 3~~ claim 16 wherein the substance that inhibits GSK-3 is a compound selected from the group consisting of indirubin, 5-iodo-indirubin, 5-bromo-indirubin, 5-chloro-indirubin, 5-fluoro-indirubin, 5-methyl-indirubin, 5-nitro-indirubin, 5- SO_3H -indirubin, 5'-bromo-indirubin, 5-5'-dibromo-indirubin and 5'-bromo-indirubin 5-sulfonic acid, or a pharmacologically acceptable salt thereof.

18. (Currently Amended) The ~~medical drug agent~~ agent according to ~~any one of claims 1 to 3~~ claim 16 wherein the substance that inhibits GSK-3 is a compound selected from the group consisting of indirubin-3'-monooxime, 5-iodo-indirubin-3'-monooxime and 5-SO₃Na-indirubin-3'-monooxime, or a pharmacologically acceptable salt thereof.

19. (Currently Amended) The ~~medical drug agent~~ agent according to ~~any one of claims 1 to 3~~ claim 16 wherein the substance that inhibits GSK-3 is indirubin-3'-monooxime or a pharmacologically acceptable salt thereof.

Claims 20-36 (Cancelled)

37. (Currently Amended) A neuron obtained by culturing a neural stem cell in the presence of the agent ~~for the promotion of neurogenesis~~ according to any one of ~~claims 20 to 36~~ 5 to 19.

38. (Currently Amended) A method of the manufacture of a neuron which comprises culturing a neural stem cell in the presence of the agent ~~for the promotion of neurogenesis~~ according to any one of ~~claims 20 to 36~~ 5 to 19 to allow neogenesis of the neuron, and collecting the neuron from the culture.

Claims 39-41 (Cancelled)